

Tryptose

Cat. 1614

Mixture of peptones that act as a nitrogen source for the cultivation of fastidious microorganisms.

Practical information

Applications	Categories
Nitrogen source	General use

Industry: Fermentation / Culture media ingredients / Manufacturing process

Principles and uses

Tryptose is a mixed enzymatic hydrolysate with distinctive nutritional properties. It is an excellent sole source of nitrogen, demonstrating superiority over Meat Peptone in this regard. It is used to grow many fastidious microorganisms such as Brucella, Streptococcus, and Neisseria.

Physical-chemical characteristics

Description	Specification	Typical Analysis
Amino nitrogen (AN)	>2,9%	4,40%
Total nitrogen (TN)	>10,0%	13,40%
Loss on drying	<6%	3,20%
AN/TN Ratio	N/A	32,50%
Ash	<15%	9,70%
pH (2% solution)	6,5-7,5	7,4

Elemental profile

Descripción	Value
Sodium	3,41%
Calcium	0,001%
Magnesium	0,022%
Potassium	0,679%

Amino acids

Total (g/100g)		Total (g/100g)		Total (g/100g)	
Cysteine	0,44	Methionine	1,92	Valine	1,93
Alanine	4,45	Phenylalanine	7,52	Threonine	3,55
Arginine	4,65	Proline	6,33	Aspartic acid	6,34
Histidine	<0,01	Serine	4,09	Glutamic acid	13,92
Isoleucine	0,34	Tryptophan	0,62	Glycine	2,84
Lysine	4,64	Tyrosine	2,21	Leucine	3,67

Growth supporting properties

Descripción	Value
Peptona agar	Good/Bueno

Storage

Temp. Min.:2 °C

Temp. Max.:25 °C